

PRODUCT DATASHEET

HALOPIN OVEN 40 W 230 V G9

HALOPIN OVEN | Halogen oven lamps



AREAS OF APPLICATION


- Baking ovens

PRODUCT BENEFITS

- Optimum halogen content for high temperatures
- Contains no mercury

PRODUCT FEATURES

- Average life: 2,000 h



TECHNICAL DATA

Electrical data

| | |
|-----------------|---------|
| Nominal wattage | 40.00 W |
| Nominal voltage | 230.0 V |
| Rated wattage | 40.00 W |
| Power factor λ | 1.00 |


Photometrical data

| | |
|---|------------|
| Nominal luminous flux | 490 lm |
| Rated color temperature | 2700 K |
| Light color (designation) | Warm White |
| Rated luminous flux | 490 lm |
| Color rendering index Ra | 100 |
| Lumen main.fact.at end of nom.life time | 0.75 |
| Color temperature | 2700 K |
| Luminous flux | 490 lm |
| Color rendering index Ra | 100 |

Light technical data

| | |
|---------------------|--------|
| Starting time | 0.0 s |
| Warm-up time (60 %) | 0.00 s |

Dimensions & weight



| | |
|---------------------------|---------|
| Diameter | 14.0 mm |
| Overall length | 43.0 mm |
| Light center length (LCL) | 22.0 mm |
| Length | 43.0 mm |
| Outer bulb | T13,3 |
| Maximum diameter | 14.0 mm |

Lifespan

| | |
|----------------------------|----------------------|
| Nominal lamp life time | 2000 h ¹⁾ |
| Rated lamp life time | 2000 h |
| Number of switching cycles | 50000 |

¹⁾ Average lifespan at room temperature; higher temperature can reduce the lifespan

Additional product data

| | |
|-----------------------------|--------|
| Base (standard designation) | G9 |
| Mercury content | 0.0 mg |
| Mercury-free | Yes |

Capabilities

| | |
|-------------------------|------|
| Burning position | Any |
| Dimmable | Yes |
| Non-standard conditions | Oven |

Certificates & standards

| | |
|-------------------------|--------------|
| Energy consumption | 40 kWh/1000h |
| Energy efficiency class | D |

Country-specific categorizations

| | |
|-------|-------------------------|
| ILCOS | HSGST/C/UB-40-230-G9-22 |
|-------|-------------------------|

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4008321515759 | Unpacked 1 | - x - x - | 2.80 g | |
| 4008321515766 | Shipping carton box 2592 | 495 mm x 395 mm x 195 mm | 10484.00 g | 38.13 dm ³ |
| 4008321703576 | Folding carton box 1 | 70 mm x 25 mm x 25 mm | 8.00 g | 0.04 dm ³ |
| 4008321703583 | Shipping carton box 20 | 144 mm x 55 mm x 118 mm | 118.00 g | 0.93 dm ³ |
| 4052899322233 | Unpacked 1 | - x - x - | | |
| 4052899322240 | Shipping carton box 2880 | 495 mm x 395 mm x 195 mm | 9450.00 g | 38.13 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.