

# CONNECTABLE LIGHT CHAIN

CONNECTA

premium light chain



STAR<sup>®</sup>  
TRADING




# CONNECTABLE LIGHT CHAINS IN BLACK & WHITE

– up to 13 light chains (maximum 2.000 W/15W bulbs)

Connecta is easy to install and flexible in its design. Combine a start cable, a light chain, and suitable light bulbs. Unlike ordinary light chains with fixed bulbs, you can choose the light source freely. Extend the Connecta solution with more chains, extension cables, and add on accessories. Light bulbs with PC cover are a great fit, as they fit perfectly outdoors and can withstand harsh conditions. When mounting, the weight of the chain must be evenly distributed to relieve the weight of the couplings.




# CONNECTABLE LIGHT CHAINS




**418-10**  
**CONNECTA**

☒4 ☒735cm ☒6cm ☒75cm ⚡10 E27 (Excl) 🏠




**418-20**  
**CONNECTA**

☒4 ☒735cm ☒6cm ☒75cm ⚡10 E27 (Excl) 🏠



**418-00**  
**CONNECTA**

☒4 ☒400cm ☒6cm ☒40cm ⚡10 E14 (Excl) 🏠







**418-11**  
**CONNECTA**

☒4 ☒735cm ☒6cm ☒75cm ⚡10 B22 (Excl) 🏠

## START CABLES

 1,8m	 5m	 5m
<b>484-28</b> SYSTEM EXPO/ CONNECTA 10 180cm	<b>484-25</b> SYSTEM EXPO/ CONNECTA 10 500cm	<b>418-21</b> CONNECTA 10 500cm

## EXTENSION CABLES

 5m	 2m	 5m	 2m
<b>484-26</b> SYSTEM EXPO/LED/ CONNECTA 10 500cm 5SM	<b>484-26-02</b> SYSTEM EXPO/LED/ CONNECTA 10 200cm 2SM	<b>466-26</b> SYSTEM LED/ CONNECTA 10 500cm 5SM	<b>466-26-02</b> SYSTEM LED/ CONNECTA 10 200cm 2SM



## ASSECCORIES

 x5	 Ø6cm	
<b>418-54</b> CONNECTA 6 5cm 22cm 5 E27 (Excl)	<b>484-21</b> SYSTEM EXPO/LED/ CONNECTA 20 20cm 20cm	<b>484-22</b> SYSTEM EXPO/LED/ CONNECTA 20 10cm 6.5cm

			 x5 <b>418-41</b> CONNECTA 10 20.5cm 4.5cm
<b>418-50</b> CONNECTA 10 11cm 15.5cm 52cm 1x120 LED 8W	<b>418-51</b> CONNECTA 10 11cm 18cm 52cm 1x120 LED 8W	<b>418-53</b> CONNECTA 10 11cm 26cm 52cm 1x120 LED 8W	 x5 <b>418-40</b> CONNECTA 10 20.5cm 4.5cm

## LIGHT SOURCES WITH PC-COVER

 2200K	 B22 2200K	 2700K	 B22 2700K
<b>359-31</b> E-NR 8294537 10/100 45mm 68mm 2200K 80Ra 70lm 0.6W E27 220-240V AC EC A++	<b>359-32</b> E-NR 8294538 10/100 45mm 67mm 2200K 80Ra 70lm 0.6W B22 220-240V AC EC A++	<b>359-21-1</b> E-NR 8293843 10/100 45mm 68mm 2700K 80Ra 130lm 1.3W E27 220-240V AC EC A++	<b>359-22-1</b> E-NR 8293844 10/100 45mm 67mm 2700K 80Ra 130lm 1.3W B22 220-240V AC EC A++

 2100K	 B22 2100K
<b>356-55</b> E-NR 8380316 10/60 55mm 95mm 2100K 136lm 1.6W (≈15W) E27 220-240VAC EC A++	<b>356-55-2</b> E-NR 8380317 10/60 55mm 94mm 2100K 136lm 1.6W (≈15W) B22 220-240VAC EC A++

 2200K	 B22 2200K	 2700K	 B22 2700K
<b>359-33</b> E-NR 8294539 10/100 55mm 100mm 2200K 80Ra 70lm 0.6W E27 220-240V AC EC A++	<b>359-34</b> E-NR 8294540 10/100 55mm 100mm 2200K 80Ra 70lm 0.6W B22 220-240V AC EC A++	<b>359-23-1</b> E-NR 8293845 10/100 55mm 100mm 2700K 80Ra 240lm 2.4W E27 220-240V AC EC A++	<b>359-24-1</b> E-NR 8293846 10/100 55mm 98mm 2700K 80Ra 240lm 2.4W B22 220-240V AC EC A++

## LIGHT SOURCES WITH PC-COVER



2200K

2700K

B22  
2700K

3000K

### 359-35

E-NR 8294541 10/5/40  
⊕95mm ⊕138mm 2200K  
80Ra 70lm 0.6W E27  
220-240V AC EC A++

### 359-25

E-NR 8294319 10/5/40  
⊕95mm ⊕138mm 2700K  
80Ra 80lm 0.6W E27  
220-240VAC EC A++

### 359-26

E-NR 8294676 10/5/40  
⊕95mm ⊕138mm 2700K  
80Ra 80lm 0.6W B22  
220-240VAC EC A++

### 363-32

E-NR 8293590 10/40  
⊕95mm ⊕143mm 3000K  
80Ra 300lm 3.7W (≈28W)  
E27 220-240VAC EC A+



2700K



### 336-98

E-NR 8294459 10/4x10/40 ⊕45mm ⊕69mm  
1W E27 220-240VAC

### NEW 359-27

E-NR 8290283 10/5/40 ⊕95mm ⊕136mm 2700K  
90Ra 85lm 1.2W E27 220-240VAC EC A++



### 360-64-1

E-NR 8294545 10/10/60  
⊕26mm ⊕58mm 1lm  
0.9W E14 220-240VAC

### 360-61-1

E-NR 8294542 10/10/60  
⊕26mm ⊕58mm 10lm  
0.9W E14 220-240VAC

### NEW 360-62-1

E-NR 8294543 10/10/60  
⊕26mm ⊕58mm 2lm  
0.9W E14 220-240VAC

### 360-63-1

E-NR 8294544 10/10/60  
⊕26mm ⊕58mm 13lm  
0.9W E14 220-240VAC

### 360-60-1

E-NR 8294737 10/10/60  
⊕26mm ⊕58mm 2600K  
80Ra 17lm 0.9W  
E14 220-240VAC

## LIGHT SOURCES WITH PC-COVER



### 356-49-4

E-NR 8294533 10/10/60  
⊕55mm ⊕96mm 0.9W  
E27 220-240VAC

### 356-43-4

E-NR 8294528 10/10/60  
⊕55mm ⊕96mm 0.9W  
E27 220-240VAC

### 356-45-4

E-NR 8294529 10/10/60  
⊕55mm ⊕96mm 0.9W  
E27 220-240VAC

### 356-40-4

E-NR 8294526 10/10/60  
⊕55mm ⊕96mm 18lm  
0.9W E27 220-240VAC

### 356-48-4

E-NR 8294531 10/10/60  
⊕55mm ⊕96mm  
2600K 80Ra 25lm  
0.9W E27 220-  
240VAC EC A+



B22

### 356-49-3

E-NR 8290682 10/10/60  
⊕55mm ⊕94mm 1.0W  
B22 220-240VAC

### 356-43-5

E-NR 8294736 10/10/60  
⊕55mm ⊕96mm 0.9W  
B22 220-240VAC

### 356-45-5

E-NR 8294530 10/10/60  
⊕55mm ⊕96mm 0.9W  
B22 220-240VAC

### 356-40-5

E-NR 8294527 10/10/60  
⊕55mm ⊕96mm 0.9W  
B22 220-240VAC

### 356-48-5

E-NR 8294532 10/10/60  
⊕55mm ⊕96mm  
2600K 80Ra 25lm  
0.9W B22 220-240VAC



### 336-49-2

E-NR 8292614  
10/10/100  
⊕45mm ⊕69mm  
1W E27 220-  
240VAC

### 336-43-2

E-NR 8292604  
10/10/100  
⊕45mm ⊕69mm  
1W E27 220-  
240VAC

### 336-45-2

E-NR 8292605  
10/10/100  
⊕45mm ⊕69mm  
1W E27 220-  
240VAC

### 336-40-2

E-NR 8292601  
10/10/100  
⊕45mm ⊕69mm  
1W E27 220-  
240VAC

### 336-48-2

E-NR 8292606  
10/10/100  
⊕45mm ⊕69mm  
6500K 80Ra 15lm  
1W E27 220-  
240VAC EC A

### 336-55-2

E-NR 8293591  
10/10/100  
⊕45mm ⊕69mm  
2700K 80Ra 15lm  
1W E27 220-  
240VAC EC A



2448-SE-20

## CONNECTA - A SMART LIGHT CHAIN

Connecta is a flexible and high-quality light chain system, for both private and public environments. Light sources can easily be changed based on needs and it is easy to extend Connecta to the required length. Add accessories to achieve the desired look.

E27, B22 and E14 max 15 W

Connectable and extendable  
up to 13 chains or 2.000 W

For both indoor  
and outdoor use

4 meters (E14)  
7,35 meters (E27 and B22)

Pre-drilled holes  
for easy mounting

[www.startrading.com](http://www.startrading.com)

**STAR**<sup>®</sup>  
TRADING